

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2009		2. REPORT TYPE		3. DATES COVERED	
4. TITLE AND SUBTITLE Environmental Characterization And Analysis Of Beaked Whale (Ziphiidae) Habitats			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Undersea Warfare Center,Sensors and SONAR Systems Department,1176 Howell St.,Newport,RI,02841			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The U.S. Navy has focused exceptional resources on documenting its impacts to the marine environment by preparing and completing publicly-releasable Environmental Impact Statements (EIS) for operating areas and training ranges. This documentation relies on information from peer-reviewed scientific research and other available data on sound exposure. Two areas where information gaps currently exist in peer-reviewed literature are environmental characterization and acoustic detection opportunities in known habitats of species sensitive to acoustic disturbance (National Research Council, 2003). The purpose of this study is to start filling the knowledge gaps on these topics by publishing existing model results in a series of refereed papers for reference by the scientific and regulatory communities. The goal is to raise public awareness and improve the technical knowledge base for future marine mammal studies.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Environmental Characterization and Analysis of Beaked Whale (*Ziphiidae*) Habitats

Eryn M. Wezensky
Naval Undersea Warfare Center
Sensors and SONAR Systems Department
1176 Howell St.
Newport, RI 02841
phone: (401) 832-7510 fax: (401) 832-2757 email: eryn.wezensky@navy.mil

Award Number: N0001409WX21205

LONG-TERM GOALS

The U.S. Navy has focused exceptional resources on documenting its impacts to the marine environment by preparing and completing publicly-releasable Environmental Impact Statements (EIS) for operating areas and training ranges. This documentation relies on information from peer-reviewed scientific research and other available data on sound exposure. Two areas where information gaps currently exist in peer-reviewed literature are environmental characterization and acoustic detection opportunities in known habitats of species sensitive to acoustic disturbance (National Research Council, 2003). The purpose of this study is to start filling the knowledge gaps on these topics by publishing existing model results in a series of refereed papers for reference by the scientific and regulatory communities. The goal is to raise public awareness and improve the technical knowledge base for future marine mammal studies.

OBJECTIVES

Explore the overlap of mid-frequency sound with sighting records of beaked whales to understand the potential habitat sensitivity to noise sources.

Generate a statistical analysis approach of sound propagation in beaked whale habitats.

Demonstrate how the acoustic scene in habitat areas is not uniform as sound propagation interacts with environmental influences, such as steep bathymetry, diurnal changes in sound speed, and bottom loss properties.

Test the hypothesis that attributes of sound production as a function of beaked whale dive depths and vocalization characteristics may be maximized or constrained by the properties of the environment in which they produce their sounds.

APPROACH

Compiled beaked whale sighting, stranding, and capture records (MacLeod and Mitchell, 2006) are referenced to determine the specific habitat characteristics to model. An acoustic-based model (CASS-GRAB) (Keenan et al. 2000) is used to simulate a complex three-dimensional representation of an acoustic environment specific to the depth regime of these deep diving species. The model output is then run through a Matlab analysis to develop a quantitative habitat-oriented approach to determine how the vertical variability of received levels overlaps with dive depths.

WORK COMPLETED

Completed model run output and Matlab analysis scripts for two beaked whale habitat sites (Sagami Gulf, Japan and North Atlantic Frontier, Scotland) (Wezensky et al. 2007a; Wezensky et al. 2007b).

Completed statistical analysis approach of environmental characterization (Wezensky, et al. 2007b).

RESULTS

Leveraging the Naval Undersea Warfare Center internal investment bid and proposal funding, it was demonstrated how the acoustic scene for two locations varies based on seasonal environmental influences and bottom loss properties. By using publicly available databases for model inputs, the analysis results are traceable and reproducible. This approach is key to improving public relations and allows U.S. Navy biologists, conservation managers and the marine mammal scientific community to use the results for experimentation planning and testing.

There still needs to be more effort towards building model inputs that includes target strength data of beaked whale prey, habitat noise levels, and processing recognition differentials in order to fully determine the acoustic detection performance of this species.

IMPACT/APPLICATIONS

It is hoped that this statistical analysis approach and model methodology will help educate interested parties (NGOs, NOAA, Navy environmental planners) on the variability of environmental influences, such as steep bathymetry, diurnal changes in sound speed, and bottom loss properties in beaked whale habitat areas where mid-frequency anthropogenic activities takes place.

REFERENCES

Keenan, R., Brown D., McCarthy E., Weinberg, H., Gainey, L., and G. Brooke. 2000. *Software Design Description for the Comprehensive Acoustic System Simulation (CASS Version 3.0) with the Gaussian Ray Bundle Model (GRAB Version 2.0)*,

Naval Undersea Warfare Center Division, Newport Technical Document 11,231, 1 June 2000.

MacLeod, C., and Mitchell, G.H. 2006. Key Areas for Beaked Whales World Wide. *Journal of Cetacean Research and Management*, 7(3): 309-322.

National Research Council. 2003. *Ocean Noise and Marine Mammals*. National Academy Press, Washington, DC.

Wezensky, E. M., Barton, R. J., Mitchell, G. H., Crocker, S. E., and C. D. MacLeod. 2007a. Statistical Analysis Approach to Define Potential Received Levels at Beaked Whale Hotspots. *Proceedings of the 17th Biennial Conference on the Biology of Marine Mammals*, pp. 38, Cape Town, South Africa.

Wezensky, E. M., Barton, R. J., Mitchell, G. H., and S. E. Crocker. 2007b. Mid-Frequency Sound Propagation in Beaked Whale Environments: A Proposed Metric for Environmental Planning. *Proceedings of Undersea Defense Technology Europe 2007 Conference and Exhibition*, pp. 62, Naples, Italy.